

# COMPLETE STREETS IMPLEMENTATION WORKBOOK



**Smart City**  
MISSION TRANSFORM-NATION



**Ministry of Housing and Urban Affairs**  
Government of India





# introduction

The Smart City Mission encourages cities to create non-motorised transport infrastructure. Many cities have thus designed complete streets and are now in the process of implementation. Despite best intentions and good designs, improper planning of the construction process, along with poor execution and workmanship, result in construction errors and frequent excavations that affect the usability and attractiveness of these streets.

Smart Cities Mission - Ministry of Housing and Urban Affairs presents Volume 5 of the Complete Streets Toolkit, the 'Complete Streets Implementation Workbook', for Smart Cities across India. The document provides guidance for urban designers, municipal engineers and contractors on construction detailing and management of complete streets, especially that of various over and underground utilities.

The document is divided into four sections:

- Pre-construction process
- Construction process
- Post-construction process
- Construction timeline

All the steps are presented in a chronological order such that the document can be used as a checklist itself. Every step is supported with onsite images from various Indian cities to make the document more contextually relevant and user-friendly. The users can also find sectional details for street elements and technical references wherever applicable in this document which might help them in the planning and execution process. With the advancement in technologies and innovations, there are various ways for executing the designs on site; this document aims to provide guidelines based on best practices in the field of construction.

Other volumes of this toolkit are:

- i. Complete Streets Policy Framework
- ii. Complete Streets Policy Workbook
- iii. Complete Streets Planning Workbook
- iv. Complete Streets Design Workbook
- v. Complete Streets Implementation Workbook and
- vi. Complete Streets Evaluation Metrics
- vii. Complete Streets Best Practices

February 2019



The Ministry of Housing and Urban Affairs is the apex authority of Government of India to formulate policies, coordinate the activities of various Central Ministries, State Governments and other nodal authorities and monitor programmes related to issues of housing and urban affairs in the country. The Smart Cities Mission was launched by the Ministry in 2015 to promote sustainable and inclusive cities that provide core infrastructure and give a decent quality of life to its citizens, a clean and sustainable environment and application of 'Smart' Solutions.



The Institute for Transportation and Development Policy works around the world to design and implement high quality transport and urban development systems and policy solutions that make cities more livable, equitable, and sustainable.

This project is part of the International Climate Initiative (IKI)

Supported by:



Federal Ministry for the  
Environment, Nature Conservation,  
and Nuclear Safety

based on a decision of the German Bundestag



# creating complete streets

**Complete Street** A street designed to cater to the needs of all users and uses, through equitable allocation of road space is referred to as a complete street.


**Volume 01** of the Complete Streets Toolkit - Complete Streets Basics - addresses the rationale for making improvements to streets.

Transforming successful pilots into larger city-wide networks of complete streets requires cities to embrace a progressive long-term vision. This can be achieved by adopting a Complete Streets Policy.

**Volume 02** of the Complete Streets Toolkit - the Complete Streets Policy Workbook - for Smart Cities across India, provides a step-by-step approach for developing and adopting a Complete Street Policy that is supported by a strong institutional set-up.

**Volume 03** of the Complete Streets Toolkit - Developing Complete Streets Masterplan - provides a step-by step guidance to city officials, engineers, planners and consultants on creating a city-wide walking and cycling networks.

The output created through this process includes a long-term masterplan for a Complete Streets network with proposed phasing and estimated investment. These include streets with continuous footpaths, segregated cycle tracks (where possible), safe intersections, uniform carriageways and organised parking; as well as greenways, pedestrian-only streets, non-motorised vehicle and public transport priority streets, shared-streets, and junction redesign projects.



Creation of complete streets involves cooperation and collaboration between multiple stakeholders (such as urban local bodies, traffic police, planning agencies, consultants, experts, community groups and others) at different stages, at both the city and zonal level. Setting-up a dedicated committee and cell, as elaborated in volume 02, is an essential step to ensure the successful implementation of the complete streets projects.

It is important to obtain the reviews and approval from various stakeholders at each stage of the process of creation of complete streets to ensure that the end product caters to the expectation and needs of all.

## Policy

## Planning

## Design

## Implementation

## Participatory process

More often than not, the process of creating complete streets happens in isolation without involving the end users or the other agencies pivotal to the operation of the street. This leads to a disconnect between the local context and the design, which eventually renders the redesigned street unusable.

A participatory approach to street design involves the stakeholders - government representatives, public, NGOs, etc - in the design process to ensure that the final design caters to the needs of the intended users. The result of such a process is invariably more feasible and also innovative.

Many cities have initiated work on redesigning their streets. However, owing to the lack of a single guiding document for street design, cities are currently following different methods and standards. There is thus an urgent need for a national-level document that serves as guidelines for the design of complete streets.

**Volume 04** of the Complete Streets Toolkit - the Complete Streets Design Guidelines - for Smart Cities across India, elaborates on the best practice standards and guidelines as well as the process designing complete streets to city officials, engineers, urban designers, and consultants.

Apart from design execution, the mismanagement of the entire construction process can cause delays and inconvenience to residents. The diversion of traffic, dug-up roads with poor attention to on-site safety, obstruction at property entrances, and water logging add to the problems of residents.

**Volume 05** of the Complete Streets Toolkit - the Complete Streets Implementation Guidelines - for Smart Cities across India, aims to highlight the typical steps of project implementation that can ensure a good final product - a truly Complete Street.



# contents

<b>1</b>	<b>pre-construction process</b>	<b>11</b>
	hiring a contractor	12
	roles and responsibilities	13
	implementation strategy	14
	pilot stretch selection	15
<b>2</b>	<b>construction process</b>	<b>17</b>
	pre-excavation	18
	construction of street edge	24
	construction of carriageway	68
<b>3</b>	<b>Post-construction process</b>	<b>75</b>
	maintenance manual	76
	maintenance by contract	77
<b>4</b>	<b>construction timeline</b>	<b>79</b>
<b>5</b>	<b>annexures</b>	<b>83</b>



# List of acronyms

BoQ	Bill of quantities
BRR	Bus Route Roads
BRT	Bus Rapid Transit
CS	Complete Streets
CSMP	Complete Streets Master Plan
DBM	Dense Bitumen Macadam
DIP	Ductile Iron Pipes
DLC	Dry Lean Concrete
DWC	Double wall corrugated
FFL	Finished Floor Level
FRP	Fibre Reinforced Plastic
GIS	Geographic Information System
HDPE	High Density Polyethylene
HRIDAY	Heritage City Development and Augmentation Yojana
IRC	The Indian Road Congress
IPT	Informal Public Transport
MEP	Mechanical, Electrical and Plumbing
MLCP	Multi-Level Car Parking

# List of acronyms

MRT	Mass Rapid Transit
MS	Mild Steel
MUZ	Multi-Utility Zone
MoRTH	The Ministry of Road Transport and Highways
NMT	Non-Motorised Transport
PCC	Plain Cement Concrete
PCU	Passenger Car Unit
PMV	Personal Motor Vehicle
PQC	Pavement Quality Concrete
PVC	Polyvinyl Chloride
RCC	Reinforced Cement Concrete
RCC NP3	Reinforced Cement Concrete - Non-Pressurised class 3
RfP	Request for Proposal
RoW	Right-of-Way
ToR	Terms of Reference
ULB	Urban Local Body
WBM	Water Based Macadam
WMM	Wet Mix Macadam



# definitions

<b>Accessibility</b>	Facilities offered to people to reach social and economic opportunities, measured in terms of the time, money, comfort, and safety that is associated with reaching such opportunities.
<b>Average trip length</b>	The average distance covered by a transport mode for a trip. This is commonly measured in kilometres.
<b>Bus rapid transit (BRT)</b>	High quality bus-based mass transit system that delivers fast, comfortable, reliable, and cost-effective urban mobility through the provision of segregated right-of-way infrastructure, rapid and frequent operations, and excellence in marketing and customer service.
<b>Bulb-out</b>	Lateral extensions of the footpath into the carriageway to reduce the crossing distance for pedestrians. They reduce vehicle speeds, provide enhanced protection and visibility for pedestrians, and lower the time taken to cross the street.
<b>Complete streets</b>	Streets that are designed to cater to the needs of all users and activities, through equitable allocation of road space. Complete streets provide safe and inclusive environments that support users of all age groups, genders, and physical dispositions. They also guarantee efficient mobility by focusing on moving people, user safety, universal accessibility, vitality and liveability, sensitivity to local context, and environmental sustainability.
<b>Eyes on the street</b>	Informal surveillance of any street by the residents, shopkeepers, and other users of the street.
<b>Greenway</b>	A linear, landscaped pedestrian or bicycle route based on natural passages such as canals, rivers, or other scenic courses. It is typically for recreational use, with an emphasis on conserving and preserving vegetation.
<b>Informal Public Transport (IPT)</b>	This includes vehicles like share autos, vans, minibuses that operate on a shared or per seat basis on specific routes, in an unregulated or semi-regulated environment, and with no government support. The service may or may not have a predefined “fare structure”.
<b>Mass rapid transit (MRT)</b>	A high quality public transport system characterized by high capacity, comfort, overall attractiveness, use of technology in passenger information system, and ensuring reliability using dedicated right of way for transit vehicles (i.e. rail tracks or bus lanes).
<b>Mobility</b>	Conditions under which an individual is capable of traveling in the urban environment.
<b>Mode share</b>	The share of total trips carried out by different modes of urban transport including, but not limited to walking, cycling, bus, rail, share auto-rickshaws, private auto, two wheelers, and cars.
<b>Non-motorized transport (NMT)</b>	All forms of human powered transportation including, but not limited to, walking and cycling.
<b>On-street parking</b>	The space occupied by parked vehicles along the edge of the street or carriageway which otherwise could have been used by motorized or non-motorized traffic.
<b>Off-street parking</b>	The term refers to the dedicated spaces provided for parked vehicles outside the right-of-way. It includes parking lots, multi-level car parking and other off-street facilities.
<b>Public Transport (PT)</b>	Shared passenger vehicle which is publicly available for multiple users.

A mechanism to facilitate efficient use of street space to ensure additional space dedicated for pedestrians, cyclists, public transport, and motorists. In addition, over time, collecting a fee for parking can manage its demand and ensure that personal motor vehicle users compensate the city for the use of valuable land on which they park their vehicles.

Measure of the width of the road taken from compound wall/edge on one side of the street to that on the other side.

A street where formal distinctions between spaces allocated for various users, is removed. The concept of shared streets is to ensure that each street user becomes progressively more aware and considerate of the others in the street. Specific design interventions can be made to force the vehicles to slow down and match the pace of those on foot.

The following modes are categorized as “sustainable modes” of urban transport because, when compared with personal motor vehicles, they consume the least amount of road space and fuel per person-km and also cost much less to build the infrastructure: walking, cycling, and public transport (including a regular bus service as well as MRT systems).

Traffic calming measures ensure pedestrian and vehicle safety by reducing the speed of motor vehicles through vertical and/or horizontal displacements, real/perceived narrowing of carriageways, material/colour changes that signal conflict point, or complete closure of streets for vehicular traffic.

## Parking management

## Right of Way (RoW)

## Shared street

## Sustainable transport modes

## Traffic calming





# implementation process


## commencement of the process

It is a common misconception that the implementation process begins only after the completion of the design process.

While on-site construction starts once the design is ready and the drawings are completed, the implementation process commences immediately after the design consultant submits General Alignment Drawings (GADs) and Bill of Quantities (BoQ).

The city can hire a contractor and initiate pre-construction formalities while the designer prepares Good for Construction (GfC) drawings.

The relationship between the design and implementation processes is as shown in the illustration below:





# 01

## Pre-construction process

The implementation process begins prior to the commencement of on-site work, with the hiring of a qualified contractor. Responsibilities of all the stakeholders are listed out and an implementation strategy is provided by the contractor for smooth progress of the project. Following this, a pilot stretch is chosen from each package for construction and testing.




Hiring a contractor



Roles and responsibilities



Implementation strategy



Pilot stretch selection



Pre-excitation

# 02

## Construction process

Testing out the proposed designs and incorporating measures to ensure safety during construction mark the beginning of work on site. This is followed by the construction of the street edge including footpath, cycle track, street furniture, utilities, landscaping, and parking zones. Finally, the carriageway is re-laid, if necessary.



Construction of street edge



Construction of carriageway

# 03

## Post-construction process

Regular maintenance of the completed work and management of landscape is crucial in ensuring safe and convenient user-experience. This section highlights the post-construction process of operation and maintenance of the project beyond the period of execution.



Post-construction process





# PRE-CONSTRUCTION PROCESS

hiring a contractor | responsibilities of stakeholders  
implementation strategy | pilot stretch selection



# 1.1 hiring a contractor

The process of hiring a contractor for construction can start once the design consultant submits the Terms of Reference (TOR) for the same.

## work experience

Stringent eligibility and bid criteria can ensure the selection of a good contracting agency. The contractor's annual turnover and experience of working in the field with the government on similar projects of similar scale, should decide the eligibility of the bidder. Eligible contractors must have a good track record and experience in all of the following works:

- Construction of urban roads/streets and footpaths;
- Construction of urban drains (above-ground and underground), erection of distribution network for utilities, shifting overhead power cables underground;
- Street lighting especially at medians and kerbside;
- Junction improvements.

The contractor should also be aware of, and skilled at using, the latest innovative construction techniques. During the pre-bid meetings, the contractor should be apprised of the workmanship standards and citizen consultation skills required for such projects.

## team composition

The execution team should have experienced professionals like Project Manager and Engineer, Site Engineer and Supervisor, a Mechanical, Electrical and Plumbing (MEP) expert, Architect, and a Quality Assurance Engineer as part of the team. It is also recommended to have a landscape expert in the team to guide the excavation and demolition process without damaging existing trees.

The completion of the project depends on the number of teams a contractor can deploy simultaneously for different works. The contractor can create an efficient team through sub-consulting as well.



Fig.  
The team of consultants  
at a review meeting in  
Coimbatore Corporation

# roles and responsibilities 1.2

Strong political will, good administrative leadership, and a collaborative approach are all equally important to make the street construction project successful, with each stakeholder having specific roles to play.

Stakeholder	Roles and responsibilities
Contractor	<ul style="list-style-type: none"><li>• Ensure timely execution of the project while meeting specifications, workmanship standards, safety and traffic management on the site</li><li>• Ensure regular clearance of debris</li><li>• Facilitate the needs of local residents; provide alternate temporary facilities for vehicular and pedestrian movement</li><li>• Have an on-site office</li><li>• Coordinate with adjoining property owners and resident bodies, when required, to cause minimum inconvenience</li></ul>
Municipal Corporation authorities and engineers	<ul style="list-style-type: none"><li>• Facilitate stakeholder meetings</li><li>• Grant work permits and provide no-objection certificates</li><li>• Make payments to the contractor on-time, as per tender</li><li>• Facilitate coordination with internal and external agencies for utility works</li></ul>
Apex committee (Includes top level authorities, department heads, and experts)	<ul style="list-style-type: none"><li>• Act as the decision-making body</li><li>• Address on-going coordination and technical issues</li><li>• Approve budgets</li></ul>
Utility agencies	<ul style="list-style-type: none"><li>• Assist in mapping existing utilities</li><li>• Assist in mapping proposed projects if any, such as shifting of overhead cables to underground, laying new cables, etc.</li><li>• Provide information on future requirements</li><li>• Approve proposed details and relevant drawings</li><li>• Provide no-objection certificates</li></ul>
Designer	<ul style="list-style-type: none"><li>• Coordinate with contractor</li><li>• Facilitate the contractor's training by explaining the design, drawings, and materials used</li><li>• Ensure timely site visits</li><li>• Revise the plans based on site conditions, if necessary and produce 'As Constructed' drawings</li><li>• Involve adjoining property-owners and resident bodies whenever required, to cause minimum inconvenience</li></ul>
Street Design Cell (if it exists) or Project Management Consultant	<ul style="list-style-type: none"><li>• Identify contractors for implementation and oversee the work periodically</li><li>• Coordinate with contractors and consultants to address on-site issues during construction</li><li>• Mediate any conflict among stakeholders (both public and governmental) during construction</li><li>• Ensure quality control</li><li>• Ensure maintenance of the physical infrastructure as per standards developed by the cell or as specified in these guidelines, with periodic monitoring</li><li>• Involve adjoining property owners and resident bodies when required, to cause minimum inconvenience</li></ul>
Traffic police	<ul style="list-style-type: none"><li>• Manage traffic (one-ways and diversions) and parking during construction</li><li>• Provide permissions for construction work</li></ul>

Table 01:  
Roles and respinsibilities of  
various stakeholders during  
the implementation process



# 1.3 implementation strategy

**planning** Before starting on-site work, the contractor needs to prepare strategic implementation plans. These plans help obtain approvals from various agencies and authorities in time, and assist in coordinating with traffic police, on-site engineers, and citizens for hassle-free execution of work.

Plans	Constituents
Detailed Programme of Work	<ul style="list-style-type: none"><li>• Details of workforce deployment, procurement of materials, equipments, and time required to execute the work as per the implementation schedule</li><li>• To be closely linked to on-ground surveys, especially mapping of underground utilities and their connections to individual properties along the street</li></ul>
Procurement Plan	<ul style="list-style-type: none"><li>• Procurement schedule for all materials including but not limited to utility services, landscape elements, site furnishings, lighting, bus stops, etc.</li><li>• Information of suppliers</li><li>• Availability of materials</li></ul>
Product samples	<ul style="list-style-type: none"><li>• Type and number of samples of all street elements and furniture including landscape species, as specified in the design, to be displayed at the site-office</li></ul>
Site Management Plan	<ul style="list-style-type: none"><li>• A site arrangement layout for the location of temporary structures, storage, water and electricity supply for the duration of the implementation work on site</li><li>• A waste management plan for the site</li></ul>
Phasing plan with Traffic management	<ul style="list-style-type: none"><li>• Project specific Traffic Management Plan for the duration of the construction, as per IRC:SP:55*, before the start of any activity on site</li><li>• Suitable strategies in case of lane construction, lane closure, shared right-of way, temporary by-pass, detours, crossovers, etc., during implementation</li><li>• Diversion routes for buses and other vehicles based on the maps of bus routes, one-ways and traffic movement prepared by the designers</li></ul> <p>The Traffic Management Plan is submitted to the Independent Engineer for review. While creating the plan, it should be ensured that the impact of temporary interruptions to vehicles and pedestrians, caused by on-site implementation, are properly addressed by the authorities</p>
Communication plan	<ul style="list-style-type: none"><li>• A plan with construction timelines and broad work schedules for the local residents</li></ul>
Quality control	<ul style="list-style-type: none"><li>• Arrangements for additional/confirmatory testing of any material including imported materials/products, as per an approved Quality Assurance Plan (QAP)</li></ul>

Table 02:  
Implementation strategies  
and their constituents, to be  
provided by the contractor  
before the commencement  
of any work on site

\* IRC:SP:55- Guidelines On Traffic Management In Work Zones

# pilot stretch selection 1.4

Successfully constructing an initial part of the street (also known as the pilot stretch) helps showcase the comfort and usability of high-quality walking and cycling infrastructure. This in turn garners immense public support for the project and paves the way for its smooth execution.

**what successful  
pilots achieve**

Streets are interspersed all across a city and hence, should be apportioned into packages for the purpose of redesign. Following this, each package should have a pilot stretch of its own to display the transformation and design execution.

**selection of streets**

The selection of these pilot streets should be based on ease of execution, completion of formalities, minimal on-site obstructions, and maximum impact. To ensure quick and efficient construction, it is pertinent that traffic is managed properly. Pilot stretches offer good opportunities for learning which then helps in efficiently scaling up the project.

The streets to be redesigned should be divided into multiple 'chainages', each with its own specific reference points and centreline alignments. The chainage numbers help in easier identification of stretches for monitoring and supervision purposes.



Fig:  
Workshop in Erode for the  
selection of streets





# CONSTRUCTION PROCESS

pre-excavation | construction of street edge | construction of carriageway



## 2.1 pre-excavation

### a temporary markings

The contractor shall provide all labour, survey instruments, and materials such as paints and brushes, strings, pegs, nails, bamboo, stones, lime, mortar, concrete, etc., required for marking on street along with appropriate safety measures.

#### street centreline

The centreline, as identified in the design stage, should be accurately marked on the street as per the drawings.

- The consultant should take the help of the city engineers for marking the lines.
- Paint/chalk can be used to mark the centreline, along with pegs in case the former washes off.



Fig. (above)  
Street centreline marking on a street in Chennai

Fig. (below)  
Street centreline marking on DB Road, Coimbatore



The footpath kerb, parking bays and property entrances should be marked using paint/ chalk powder as per the proposal. This marking helps in conducting trials and also during excavation.

#### kerb line

- Marking on the road should preferably be done at night when vehicular movement is less and manageable.
- Support & cooperation from the Traffic Police is necessary for traffic management, especially at night.
- At intersections, kerblines marking should start 10m from the corner to allow for adjustment of the turning radii as required.

The longitudinal section of the street/ footpath also needs to be marked along the edge of the street to make sure that the design does not affect property access and stormwater drain alignment are not affected significantly. Utility chambers, especially sewer, storm water and telecom, need to be planned and marked, to avoid placing them at critical locations on the street. The locations of utility chambers especially sewer, storm water OFC need to be planned and marked to avoid them at critical locations on the street.

#### longitudinal section



Fig. (above)  
Kerb line marking in a street in Chennai

Fig. (below)  
Marking the corner of DB Road intersection in Coimbatore, at the end to allow for adjusting the turning radii as per drawing and site conditions



## b trial run

Testing the proposal on-ground allows the designers, contractors and engineers to understand the changes required in the design. Trials are generally carried out at intersections rather than the entire street as the former require a greater level of thought and detailing. Before implementing the trial run, the contractor should prepare a plan of action which needs to be approved by the Municipal Corporation and Traffic Police whose support is vital for traffic management during the trial.

The trial run should be carried out for at least 1-2 weeks at a stretch. Appealing design patterns and other tactical interventions encourage usage during the trial run and thus help validate the design. Cones, ribbons and barricades used to mark out the design help in streamlining vehicular movement and provide for quick changes during the trial.



Fig. (above)  
Appealing design patterns seen during a trial run at DB road in Coimbatore



Fig. (below)  
Barricades used to mark out the design at an intersection trial in Cathedral Road, Chennai

Pop-Up MANGO Tactical Urbanism | YouTube  
<https://youtu.be/2EQo7iW0NEU>

Tactical Urbanism - Adyar Junction | YouTube  
[https://youtu.be/X63JJ6G3\\_IA](https://youtu.be/X63JJ6G3_IA)

## c utility mapping



Mapping of all utility lines running underground is necessary for precise excavation so as to prevent damage to these lines.

Ideally, utility mapping should be done by the Corporation and the respective line agencies as a separate project, prior to the commencement of design of the streets. In the absence of such a map, the design consultant should collect this information from the respective line agencies.

Alternatively, the contractor can dig trial pits at regular intervals of 50 - 70m or use non-invasive techniques like the LiDAR survey to locate the underground utilities, in the presence of the respective line agency representatives.



above-ground utilities



underground utilities

Fig. (top left)  
Utility poles with overhead wires, surface-mounted feeder pillars, utility mains, transformers etc.

Fig. (top right)  
The utilities being marked on site for upgradation, consolidation, realignment or installation

Fig. (bottom left)  
Invasive technique: Trial pit

Fig. (bottom right)  
Non-invasive technique: LiDAR survey (Source: Locating Services Underground Utilities Pty Ltd)



## d other formalities

Other formalities to be taken care of by the contractor and engineers prior to the execution of work on site, include:

- Obtaining necessary permissions from concerned government authorities
- Barricading the site and providing reflectors, retro-reflective sign boards, lighting, etc.
- Abiding by safety regulations for the safety of workers and other users on-site
- Liaising closely with the owners of private properties and shops for any reconstruction, reinstatement and relocation work, to minimise any inconvenience



## e sample stretch

It is advisable to construct a sample stretch of minimum length, following the proposed design. While there is only one pilot street per package, there may be multiple sample stretches in a package, depending on the design of the streets.

Sample stretches may be temporary or permanent. They help in showcasing the design of the street with the choice of materials, street furniture and the workmanship to the stakeholders. In addition, visualisations of the proposed design can be displayed to help the stakeholders envisage the transformation of the entire street.



Fig. (above)  
A 15m long sample stretch  
at JM road, Pune

Fig. (below)  
Children using the 50m  
sample stretch constructed  
at T.Nagar, Chennai

Fig. (above)  
ITI road, Pune

Fig. (below)  
DP road, Aundh, Pune




## 2.2 construction of street edge

### contingency

In spite of fairly accurate designs, there is always need for on-site improvisation due to unexpected situations. Issues pertaining to permissions, procurement, weather, festivals, obstructions, political and/or public pressure or other on-site conditions could affect the execution. Quick decisions need to be taken by the team to devise techniques to overcome these issues and maintain the flow of work.

### street edge

Street edge includes all kerbside components like footpaths, cycle tracks, vending spaces, parking bays, landscaping, etc. The length of the stretch to be undertaken for construction at a time depends on the number of teams to be deployed by the contractor for different stages of work.



The implementing agency is responsible to ensure the safety of workers on site. Additional safety measures like provision of alternative arrangements, barricading, signages, etc. need to be provided throughout the work zone for the safety of pedestrians and vehicular traffic.



Fig.  
Street edge under  
construction on ITI Road,  
Pune

## demolition 2.2.1

Some projects might require only the footpath to be demolished, while others might involve demolition and excavation of the entire ROW. The decision to demolish or retain any subsurface component like drains and trenches, and superstructure including utility boxes, electric poles, lamp posts, etc. should be made during the design stage in consultation with the respective line agencies. Existing components, if reusable, can be used in the proposed section strictly under the supervision of the engineer in charge.



Fig. (above)  
The site is marked to be  
demolished/scarified/  
excavated at ITI Road in Pune

Fig. (below)  
Footpath demolition and  
carriageway tilling at FC Road  
in Pune



## demolition of footpath

Debris resulting from the demolition of the existing footpath causes health and safety hazard, in addition to being an inconvenience to the public. To prevent this, debris should be disposed off at regular intervals as per IRC and other relevant guidelines.



The construction of footpath should be completed on one side of the street before commencing work on the other side. This would result in minimum disruptions to pedestrian and vehicular traffic.



Fig. (above)  
Debris being cleared from  
DB Road in Coimbatore

Fig. (below)  
Footpath on one side of the  
street in Coimbatore being  
demolished

Carriageway tilling and scarification require heavy vehicles like dumpster trucks, JCBs and rollers. There should be constant supervision to ensure safety while parking and using these heavy vehicles.



## carriageway tilling

Alternative temporary arrangements have to be made by the contractor for affected entrances, boundary walls and gates of adjoining properties. After completion of work, the contractor should restore the affected portions.

## alternative arrangements



Fig. (above)  
Debris being cleared from FC  
Road in Pune

Fig. (below)  
Alternative access arrangement  
made by the contractor in  
Coimbatore



## 2.2.2 subsurface work

Subsurface work includes the following steps:

- Excavation of the earth
- Provision of base for utilities
- Management of underground utilities
- Backfilling
- Provision of sub-base

In the entire process of implementation, subsurface work requires maximum coordination between the contractor, design consultants, utility agencies and the traffic police.



Fig.  
Subsurface work in progress  
in FC Road, Pune

## excavation 2.2.2.A

### authorities involved

Traffic Police, contractor, engineers, designers, MEP expert; A landscape specialist is preferred to manage excavation around existing trees. Members from concerned line agencies should be present on-site during excavation. The utility lines, if damaged at this stage, should be repaired by the respective agencies to avoid disruption in services.

Excavation should be planned to suit the depth at which the utility lines are to be laid. Precautions need to be taken to reduce the number of punctures/ breakages to existing utilities and to protect the soil in case of deep excavation (for stormwater utilities etc). At least 2m around tree trunk should be left unexcavated to prevent damage to the roots.



Fig. (above)  
Excavation work carried  
out in Coimbatore ahead of  
the rainy season to prevent  
stagnation of water



Fig. (below)  
Excavation work carried  
out in Coimbatore without  
causing damage to the  
foundations of adjoining  
boundary walls



2.2.2.B utilities management

Utility lines are carried either through ducts or trenches and are accessed through manholes at intervals of 25 to 30m. Provisions are made for utility lines to be laid across the street at regular intervals and for connections to individual properties. The consultant should create a set of plans and sections showing existing, relocated and proposed utility lines along with manholes, for future reference.


**duct** Ducts, also referred to as ‘conduits’, ‘tubes’ or ‘pipes’, are long-lasting casing pipes (RCC/ HDPE/GI/PVC) which carry utility lines and are buried directly in the ground on a PCC bed/ compacted soil layer, eliminating the need for a concrete passage.



Fig. (top left to right)  
RCC Hume pipes; HDPE pipes  
(Source: Wikimedia commons);  
Double wall corrugated HDPE  
Pipe

Fig. (bottom)  
Network of proposed and  
existing trenches under  
construction for a sample  
stretch in Coimbatore

Private Property    stormwater (existing)    telecommunication (govt. & private)    water & rider sewer    electrical



Ducts are recommended for all underground utilities, provided that manholes are located at regular intervals. “Installation of service lines through casing pipes facilitates easy withdrawal of the carrier line in case of maintenance or replacement without need for cutting the road. Interference to traffic and disturbance to pavement structure are avoided.” - IRC: 98-1997 (Guidelines On Accommodation Of Utility Services On Roads In Urban Areas)











Aspects	Duct vs Trench	
Location	 vs 	Trenches are better suited on stretches with no obstacles and hence are not ideal in urban areas.
Cost	 vs 	The laying of ducts costs only 30-35% as that of the construction of trenches.*
Time	 vs 	Ducts require less time for execution than trenches.
Flexibility	 vs 	Ducts provide greater flexibility and can be maneuvered around trees & obstructions.
Sustainability	 vs 	Ducts are more environmentally sustainable- trenches use cement concrete for construction, prevent rain water percolation & obstruct growth of tree roots

Fig. (top left)  
Ducts in DP Road, Pune

Fig. (top right)  
Trench under construction in  
Chennai

Table 03:  
Advantages of ducts over  
trenches

\* TenderSURE Specifications for Urban Roads Execution



## manholes

Manholes are underground chambers through which utility lines can be accessed for cleaning, repair, replacement and drawing future connections. The exact details for provision of manholes for different utilities should be obtained from the respective utility departments.

Manhole covers should be of non-corrosive, strong material with low resale value to avoid theft. Longer lasting precast concrete manholes may be preferred. Manholes should be avoided on cycle tracks. It is recommended that manholes be provided on the bulb-outs of the footpath.



Fig. (top left)  
Multiple utility lines in one manhole due to lack of space in DP Road, Pune

Fig. (top right)  
Manhole covers aligned with the footpath finish level

Fig. (bottom left)  
Conical manhole for stormwater in DP Road, Pune

Fig. (bottom right)  
Manhole under construction with precise measurement in FC Road, Pune

Fig. (top left)  
Manholes at bulbouts and utilities at tree pits in JM Road, Pune

Fig. (top right)  
Manholes should not be on cycle tracks unlike as seen in PT Rajan Road, Chennai

Fig. (bottom left)  
Manholes provided at regular intervals in consultation with the respective agencies, in NSC Bose Road, Chennai

Fig. (bottom right)  
Different types of manholes for different utilities (circular, rectangular, FRC, RCC) in DP Road, Pune



## existing utilities

In many Indian cities, the utilities could have been laid decades ago in a haphazard manner in line with the organic growth of the cities. As a result, detailed documentation of underground utilities with the exact location and alignment, might not be available with the respective line agencies.

The Complete Streets project is an opportunity for rearranging and documenting all the utilities (both underground and above-ground), providing new utilities to meet the current demand, and make additional provisions and infrastructure for future needs.

It is the responsibility of the contractor to execute all construction work, including excavation and laying new elements or utilities, in conjunction with the existing utilities and services both above and below the ground level.

Contractor has to inform the concerned line department immediately if any underground services are found hindering the work, and further any re-alignment or damage of the services has to be repaired as per instruction from line department. The contractor has to anticipate the material quantity and time required to reinstall the utilities and restore the services.

Existing utilities present underground are :

**DRAINAGE:** open or closed trenches, catchment pits, silt traps, RCC hume pipes for stormwater and sewage

**ELECTRICAL:** low and high tension cables, connections to streetlights, CCTVs

**TELECOM:** copper and optic fibre cables for government and private telecom operators

Other lines for utilities like gas, defunct and abandoned lines, damaged lines, etc.


Fig.  
Complex network of existing  
underground utilities at  
different levels in DP Road,  
Pune



## utilities around trees

Where trees obstruct the continuous passage of new utility lines, the lines should be carried around the trees via ducts as shown in the figure below\*. Lines that carry viscous content like sewer lines/SWD have larger diameters and hence cannot be easily manoeuvred around trees. Additional manholes would be required in these cases, as shown.

Technical advice from a horticulturist is recommended. Transplantation is the last resort and should be decided based on an expert counsel depending on the tree species. Also, the placement of utilities should be coordinated with the location of trees so that the latter are not disturbed if utilities are dug up for maintenance or replacement.



### Viscous content

Sewer, water and stormwater lines are diverted through a series of manholes

### Dry utilities

Other utilities can be maneuvered around the tree through a flexible duct



Fig. (left)  
Damage caused by excavating  
beyond 2m around trees in  
Coimbatore



Fig. (right)  
Utility lines maneuvered  
around the tree through ducts  
in Bangalore

\* TenderSURE Specifications for Urban Roads Execution



2.2.2.C proposed underground utilities




Fig. (above)  
Underground utilities\*  
across the road

Category	Water	Electricity		Street Lighting & other fixtures		Stormwater
Utility Type	Main	Low-tension	High-tension	Side lines	At median	Main
Duct Material	MS/DIP	HDPE DWC	RCC-NP3	HDPE	HDPE	RCC-NP3
Duct size (dia)	150-300mm	150-300mm	300-450mm	100-200mm	300mm	500-1200mm
Depth	1-1.5m	0.6-1 m	1.5-2m	0-0.6m	0.6-1 m	0.6-1 m

Category	Sewage		Telecommunications		Private connections	Additional ducts
Utility Type	Rider sewer	Trunk sewer (under median)	Copper cables	Optic Fibres OFC	For each utility	Future additions
Duct Material	RCC Hume Pipe	RCC Hume Pipe	HDPE	HDPE	PVC/HDPE	HDPE
Duct size (dia)	300-450mm	500-1000mm.	100-300mm	100-300mm	100mm	150mm
Depth	0.6-1 m	2-6 m	0.6-1 m	0.6-1 m	0.6-1 m	0.6-1 m

\* IRC: 98-1997- Guidelines On Accommodation Of Utility Services On Roads In Urban Areas



typical  
cross-section  
across utilities





Fig.  
Typical cross-section across  
underground utilities




# A stormwater

The process of stormwater management\* includes filtration (bioswales & catchpits), conveyance (ducts), infiltration (groundwater recharge pits), retention (retention tanks) and detention (reservoir).


## detail



## key section




## preferred location



## location

Along carriageway edge with silt catch pits at regular intervals




## slope

Ducts should be laid inclined at 1:50 slope to encourage gravitational flow of water.

## special cases

Where catchpits are avoided and ducts lead directly to manholes, they should be cleaned especially before and after monsoon.



## connections

Connections from other utilities to properties can be easily made over ducts, making them advantageous over conventional trenches.



## illegal connections

Illegal sewer connections into stormwater drain are prevented when ducts are used instead of trenches.

Fig. (above)  
Typical section across manhole for stormwater drain, showing the manhole and catchpit connection

Fig. (below)  
Laying of 1m dia RCC ducts for stormwater drain in DP Road, Pune




\* For detailed guidelines, please refer to IRC-SP-50 2013 - Guidelines on urban drainage



In most cities in India, there is an existing network of stormwater trenches. In some cases, it is sustainable to reuse the existing trench after desilting, to carry other utility lines as well. Proposed stormwater ducts and existing trenches can be connected through manholes while maintaining the desired slope.

### stormwater drainage network



### stormwater manhole

Stormwater manholes collect water from the adjacent properties through ducts and from catchpits. They can have kerb-inlets on the surface to collect runoff water, removing the need for separate catchpits.

### dummy chamber

Dummy chambers act as intermediate manholes in stretches where lack of road space does not allow for a continuous stormwater duct. These chambers collect surface runoff and water from adjacent properties which is then carried to the stormwater duct on the other side.

### catchment pit

Catchment pits collect surface runoff from the carriageway, sidewalk and private properties. The longitudinal and transverse gradient of the surface should be maintained as mentioned in IRC-SP-50 2013 (Guidelines on Urban Drainage) which recommends cross slopes of 2-2.5% for travel lanes.

Stormwater from the road flows along the saucer drain (along the kerb) into the catchment pit through inlets. Catchment or catch pits are designed such that silt is collected in the chamber through sand/gravel filters before the water flows into the main stormwater drain.

The depth of the catchpit can vary from 450-600mm, with a width of approximately 300mm. Catchpits should be located at the lowest point of the street cross-section and at regular intervals decided by their size, average rainfall and the catchment area.

Catchpits are protected with grating to prevent solid waste from entering the chambers. Openings to catchpits should be at grade with the surrounding carriageway surface.


### openings



Horizontal opening along the saucer drain

Vertical openings along the kerb

The openings can be into catchpits or directly into the storm water drain, depending on the distribution network. Following are the types of openings:



The openings can be into catchpits or directly into the storm water drain, depending on the distribution network. Following are the types of openings:

Other types of catchpits with pervious bottoms can help in infiltration of water thus recharging groundwater. Gravel pits, bioswales and other filtration techniques can also be used along with catchpits to remove silt and pollutants before releasing the stormwater into the drainage system.




Fig. Manhole with catchment pit opening in DP Road, Pune




## B electrical


Electrical lines include low and high tension cables which carry power to properties and transformers respectively, overhead cables, connections to streetlights, surveillance cameras, and utility boxes/RMU units. To prevent digging of the footpath in the future, it is advisable to shift overhead high tension cables underground before or during the street construction project, and also provide additional ducts to accommodate new lines later.



### key section




### preferred location



#### location

Along property edge or kerbside, so utility boxes can be placed at the edge without obstructing the footpath



#### relation to other utilities

Not close to water supply lines, to avoid short circuit

#### aboveground infrastructure


The detailed drawing for electrical utilities should show the location of distribution boxes above the ground.

#### ducts recommended

Ducts should be preferred for electrical cables since trenches lead to conflicts where utilities cross over each other and also collect water over time proving harmful to the cables.

#### bundling of cables

Cables for streetlights, surveillance cameras, etc. are small enough to be bundled and buried directly in the planter zone at the edge of the footpath, eliminating the need for manholes and deep digging.



cables for streetlights and other fixtures (surveillance, signages, sensors and signals)

Fig. (above)  
Typical section across electrical manhole

Fig. (below)  
Ducts with electrical cables in DP Road, Pune







## C telecommunication

Telecomm lines include CATV/VI cables, optical fibre cables, conventional copper cables and connections for surveillance & security units. Common manholes should be provided for lines run by both public and private telecomm operators, such that the ducts are not disturbed during maintenance.


### detail



### key section




### preferred location




#### location

Along property edge or kerbside, so utility boxes can be placed at the edge without obstructing the footpath




#### location

Copper telecom cables should not be placed close to electric cables to avoid electrical interference due to induced voltage.



#### relation to other utilities

A min distance of 1-1.2m should be provided between the two to avoid magnetic induction (in case of conventional copper cables).



#### stacking of ducts

Lines run by government and private operators can be stacked, and accessed through a single manhole.

Fig. (above)  
Typical section across  
telecom manhole

Fig. (below left)  
Manhole for  
telecommunication ducts in  
DP Road, Pune

Fig. (below right)  
Distribution boxes  
connected with manhole  
and placed near property  
edge parallel to the kerb  
line in Tilak Road, Pune







# D sewer

Sewer lines carry greywater and blackwater from residential and industrial discharge. They comprise the main trunk line and the connecting rider lines. If the site conditions do not allow for a continuous rider line, a dummy/ buffer chamber could be provided to connect new sewer lines from private properties to the main sewer line. All drainage lines have gravitational flow and should have parallel alignment to road centreline.


## detail



## key section




## preferred location



### location

Trunk sewer lines should be located below the carriageway. Rider sewer lines should be located below the footpath.



### relation to other utilities

Rider sewer line should not be laid above water line, in order to avoid contamination of potable water with sewage water in case of a pipe burst.

Fig. (top)  
Typical section across trunk  
sewer manhole and rider  
sewer manhole

Fig. (bottom left)  
Construction of a conical  
manhole in DP Road, Pune

Fig. (bottom right)  
Worker adjusting a manhole  
cover in DP Road, Pune



### rider sewer

Provision of rider sewer results in shorter crossing distances. New connections can be made to the rider sewer, as it can have multiple such connections.

### utility lines across carriageway



Where road crossing is necessary, the utility lines should be laid underground perpendicular to the alignment of the road. The construction should be strong enough to withstand the superimposed traffic loads and earth pressure.



## E water

Water supply lines carry potable water under pressure, and can be placed on one or both sides of the carriageway. Chambers with control valves are generally provided before connecting the main supply to adjacent properties. Additional connections can be made in future from these control chambers.



### key plan



### location

Ducts carrying water could be provided at the property edge to avoid crossing of water line over other utilities.

### detail



### water line adjacent to sewer line

Horizontal clearance of 3m should be maintained between water and sewer lines to avoid contamination of the water line in case of leakage.

### water line above sewer line

In case of lack of space, water line should be placed above the sewer line with vertical and horizontal clearances of 0.5m and 1.5m respectively.

Fig.  
Typical section across  
manhole for potable water

## gas F

Gas mains and other ducts carrying combustible material should have clear visible markers above the ground. These markers should denote the type, location and date of installation with emergency contact numbers. The guidelines for these utilities should be strictly followed under expert supervision.



Fig. (left)  
Gas mains and utilities  
carrying combustible material

Fig. (right)  
Signage during repairs or  
laying of gas pipes

## Other guidelines

In case of lack of adequate space, dry utilities like telecommunication, electricity, etc. can be consolidated and stacked together to minimize the space occupied. Permissions from respective agencies must be obtained before consolidation. Manholes must be provided at regular intervals for ease of access and maintenance. Common manholes can be used for government and private connections with proper stacking of utilities.

Abandoned ducts and trenches should be reused or consolidated if duplicate or defunct lines are discovered during utility mapping. On-site engineers and the respective utility agencies should be contacted for rerouting. The decision to reuse or retrofit existing lines should be taken by the engineers based on their conditions and cost-effectiveness.

Additional empty ducts should be provided which can be used in the future for new connections or different utilities avoiding the need for unnecessary excavation.

Identification systems for underground utilities and crossings on the footpath should be established. These may be in the form of colour coded chamber covers or other similar marks which will make it easier to locate later.

### consolidation

### abandoned lines

### future demand

### identification system



2.2.2.D utility bed and backfilling

utility bed

Once the position, number, carrier type, depth and design of utilities are finalised, the bed for these utilities should be prepared accordingly. The excavated area should be levelled and compacted before laying the lines, as per IRC-36:2010\*. The bed should be made of PCC in the case of soft soil, or a layer of granular material free of stone fragments.



backfilling

After the utilities are in place and checked for watertightness, the pit should be refilled and compacted using suitable compaction equipment such as walk-behind roller, rammer or plate compactor as directed by the engineer according to MoRTH section 301.3\*\*. Utmost care should be taken to ensure that no damage is caused to the ducts and other permanent work. Each layer should be watered to assist in consolidation and compaction.




Fig. (top)  
Utility bed preparation and backfilling in FC Road, Pune

Fig. (bottom left)  
Heavy roller for compacting surfaces without utilities beneath, as seen in University Road, Pune

Fig. (bottom right)  
Walk-behind roller compactor in case of utilities underneath, as seen in FC Road, Pune

preparation of sub base 2.2.2.E

After compaction of soil, a granular sub-base (GSB) of 100-150mm height is constructed usually upto the carriageway level, with well-graded granular soil. Grit can be used additionally to adjust the height of the footpath to the required 150mm (including the courses above ground level).




Fig. (top left)  
Workers manually levelling the granular sub-base in DP Road, Pune

Fig. (top right)  
Sub-base under construction in JM Road, Pune

Fig.  
Alignment lines are drawn to mark the kerb, cycle track, pedestrian and green zones

\* IRC-36:2010- Recommended Practice for Construction of Earth Embankments and Sub-Grade for Road Works

\*\* MoRTH section 301.3: Earthwork, Erosion Control and Drainage (Backfilling)



## 2.2.3 above ground construction

### quality and workmanship

The quality and workmanship should be the prime responsibility of the Site Engineer/ Consultant/ Municipal Engineer. The engineers need to be extra vigilant about the quality of material and workmanship standards to ensure longer lasting infrastructure. The contractor should deploy different teams for different work sets.

### a laying of kerb stones

The final finished height of the footpath is marked by placing kerb stones along the edge. Prefabricated kerb stones are generally preferred over in-situ ones, as they are stronger, easy to install and have uniform finish. However, in some cases in-situ construction of kerb stones can be done if the site has numerous obstructions like trees.

**step 01** The top level of the kerb stone and the manhole cover should align with the final finished footpath level. They should not exceed 150mm.



**step 02** Kerb stones for parking spaces and bulbouts should be placed according to the design. Curved and angular blocks can be used to create such spaces.



Fig. (above)  
Alignment of kerb stones as per design in JM Road, Pune

Fig. (below)  
Positioning the kerb as per design for cycle track, footpath, and bulbouts in FC Road, Pune



Fig. (above)  
Kerb stones are carefully placed over PCC mortar base maintaining the alignment and height in FC Road, Pune


Fig. (below)  
Positioning of kerb stones according to bulbouts in DP Road, Pune

\* MoRTH section 301.3: Earthwork, Erosion Control and Drainage (Backfilling)



Saucer drains and openings to catchment pits should be laid along the footpath kerb to channelise and collect stormwater runoff. Saucer drains can also be provided along with the kerb stone as a single unit.

### typical 150mm THK kerb block



### kerb block with saucer drain




Fig. (bottom left)  
Special precast rounded kerb stones of desired radii can be used for intersections and parking lots



Fig. (bottom right)  
In-situ casting of kerb stones in special cases around utilities or trees as seen in University Road, Pune



## base preparation b

Once the kerbstones are laid/ built in place, the basework\* for the surface can begin. The thickness of the base layer would depend on the use of surface like cycle track, footpath and parking. Tactile pavers are to be laid before the PCC/base work for the footpath.



### base course

A PCC layer of minimum 100mm thickness (M15 for pedestrian, M30 for vehicular) is laid as base course.




### base course

A minimum 100mm thick compacted layer of coarse aggregate is laid within the kerb stone line, as base course for flexible paving.



### tactile pavers

In case of PCC finish, the tactile pavers are first fixed on cement mortar, after which PCC is poured around.



### layers

The sub base and base courses should be sufficiently compacted and stabilized to prevent sagging in future.

## PCC finish

## paver blocks



Fig.  
Paving tiles/blocks are laid on the compacted base to finish the footpath. This requires fine workmanship so as to ensure that the blocks are laid close together and do not come loose in the future.

\* MoRTH section 500: Base and Surface Courses (Bituminous)  
MoRTH Section 400: Sub-Base, Bases (Not-Bituminous and Shoulders)



## c street fixtures

It is recommended that street fixtures\* like bus shelters, utility boxes, trellises, seating, bollards, public toilets, bins, etc. are installed prior to the paving of the footpath. If not, provisions have to be made to install them later.

### trees and landscape

For both proposed and existing trees, the girth and root system need to be considered while providing the pit and grating. The type of tree or shrub to be planted would depend on the location like median, kerbside buffer, tree pit and bulb outs.




Fig. (top)  
Section of a tree pit

Fig. (bottom left)  
Sprinkler system

Fig. (bottom right)  
Tree grating



\* For placement & design of street fixtures refer to ITDP's "Footpath Design: A guide to creating footpath"

## bus shelters

The footing of the bus shelter unit should be fixed before the PCC work of the footpath around it. A safe temporary waiting space should be provided for commuters until work is completed along that stretch.



Bollards should be installed as per design, firmly and perpendicular to the footpath surface. Bollards should have reflective strips to improve visibility. A series of pits is created and left for bollards while preparing the basework for footpath. The bollards can then be fixed at later stages to produce a neater finish.

## bollards




Fig. (top)  
Fixing of bus shelter in Pune

Fig. (middle)  
Plan, elevation and section of  
a bollard

Fig. (bottom left and right)  
Steps involved in fixing bollards



## seating arrangements

Infrastructure for seating needs to be constructed or installed as per the design proposal. Seating arrangements could be made with random rubble masonry around trees, with concrete as stand-alone structures or with pre-fabricated benches.



Fig. (top left)  
Simple precast concrete units

Fig. (top right)  
In-situ stone masonry around  
tree pits as seaters

Fig. (bottom left)  
Cast in-situ RCC seating

Fig. (bottom right)  
Prefabricated cast iron/steel  
benches to enhance identity of  
place

## lamp posts

Footpath elements which have a footing are installed while concreting, along with electrical connections if necessary (for streetlights, surveillance units, etc.). The footing of the post is constructed before providing the PCC base for the footpath. The elements are then erected on the baseplates provided on the footings.




Fig. (top)  
Section through the footing of  
a lamp post

Fig. (bottom left)  
Formwork for the footing

Fig. (bottom right)  
The footing, after completion



d surface finish for footpath and cycle track

The footpath can be finished with paver blocks or PCC. The finished surface should match with the level of manhole covers and kerb stones at 150mm above carriageway level. Different textures can be used to mark different usages on the footpath. Paving should be avoided for cycle tracks; broom-finished PCC or stamped concrete is suggested for smoother cycle-riding experience as it provides an anti-skid surface. The cycle track surface can be pigmented to distinguish them from other surfaces.



Fig. (top)  
Different surface finishes for  
different uses


Fig. (bottom left)  
Broom finish for cycle tracks in  
FC Road, Pune

Fig. (bottom right)  
Broom finished pigmented  
surface for cycle track

A 20-40mm thick bedding course of fine aggregate should be laid prior to pavers; this will compact slightly to create a firm & flexible base for pavers.

Eg: Natural stone pavers (Stone slabs, stone tiles, cobblestones etc), Concrete pavers (Interlocking cement concrete block pavement-ICCBP), perforated blocks, Concrete pavers etc)

paver blocks/tiles




A binder course of 50-100mm should be laid on the base course, over which the final surface course of 20-40mm can be laid. The stamped/ pigmented concrete work should be sufficiently cured.

PCC finish

Eg: Textured, pigmented, stamped







Parking spaces can be finished with concrete (pigmented/textured/stamped) or paver blocks. They should be in the same level as the carriageway, albeit visually different. The final finish should be anti-skid, strong enough to withstand the load of vehicles, and even. Kerbstones are a must for parking spaces as they offer restraint to the pavement preventing it from dislodging. Concrete of grade M30-M40 should be used to take the load of vehicles.

Interlocking pavers are easy to dismantle in case of future repairs. A porous base helps in water percolation. A comfortable slope should be maintained to enable the drainage of water. The sub-base and base should be firmly compacted to avoid uneven levelling and liquefaction over a period of time. For effective water percolation, porous concrete blocks can be used. These blocks can also be used at property entrances and tabletops.

In case of soft soil, it is preferable to have a PCC base (preferably perforated concrete) to avoid uneven levelling of paver blocks.

## finish for parking spaces



Fig. (top)  
Detailed section across paver blocks

Fig. (middle)  
Cycle tracks should have concrete surface finish. For even finish, paver blocks must be avoided on cycle tracks

Fig. (bottom)  
Dislocation of paver blocks due to poorly laid edge restraint i.e kerbs

Fig. (top)  
Firm compaction of sub-base

Fig. (bottom left & right)  
Porous parking finish



## e construction of ramps

Construction of ramps for property entrances, at-grade crossings and intersections should be as per the design and IRC specifications unless otherwise approved by on-site engineer.

Sufficient slope (1:20) and width should be provided easy use by prams and wheelchairs. Flaring of ramps should be carried out only if the contractor has skilled labour to execute it. Alternatively, single sloped ramps can be provided. The kerbing required for ramps can be constructed in situ to manage the slope of ramps. The access points of ramps for crossings should have appropriate directional and warning tactile paving.



Fig. (top)  
Property ramp with flaring on both sides

Fig. (bottom)  
Single slope property entrance ramp with bollards, tactile paving and bulbouts



## f other street elements

Other street elements\* like cycle racks, play equipment, advertising boards, garbage bins, beautification elements, etc., can be added as per design at this stage. Their placement has to conform to IRC-103-2012: Guidelines For Pedestrian Facilities.

While provisions for footing have to be made at this stage, the equipments can be installed later, after the completion of surface work.



Fig. (top left)  
Open gym in Kasarwadi, Pune

Fig. (top right)  
Cycle rack

Fig. (bottom left)  
Utility box enclosed in attractive casing

Fig. (bottom right)  
Dust bin



# 2.3 construction of carriageway

**introduction** In many cases across India, the complete streets redevelopment proposals might only involve execution of footpath (as a footpath widening project, footpath retrofitting or NMT projects) and might not involve entire carriageway re-construction. In such cases; if the existing camber permits, only the carriageway width required for footpath widening would be tilled and reconstructed. This chapter covers basic construction steps for carriageway construction. It also covers painting and signages as the last part of execution of complete street.

## basic principles

**drainage** carriageway should have proper longitudinal gradient (minimum 0.3 %) and camber (1.5 to 2.5 %) to allow for surface runoff.

**surface** even surface with level difference of top coat of carriageway and kerb of 150mm

**Construction in layers** compacted subgrade with solid base and strengthened surface




Fig. Carriageway components in DP Road, Pune

## pavement types

Rigid pavements have high flexural stiffness and consist of three primary layers i.e. sub-grade, base course and concrete slab.

**rigid pavement**

Flexible Pavements have low flexural stiffness and consist of four primary layers i.e. sub-grade, sub-base, base course and asphalt. Further, flexible pavements also have prime coat and tack coat applied within the structure of pavement.

**flexible pavement**

Rigid pavements are longer lasting and can be preferred in roads with drainage problems and high traffic intensity whereas advantage with flexible pavement is that they can be made in stages and its has less carbon footprint.

However, the choice of type of a pavement is governed by the type of traffic and soil conditions.




Fig. Layer composition of flexible and rigid pavements

\* IRC: 37-2012: Design of Flexible pavements



## relaying of existing asphalt road

Surface should be scarified and reshaped to the required grade, camber and shape. This is followed by the removal of depressions and potholes. A single coat of low viscosity liquid bituminous material should be applied to existing bituminous cement concrete or primed granular surface as instructed by the Engineer.

Premixed hotmix material as per the approved mix design and thickness is then laid with the paver finisher. Compaction should be carried out using vibratory equipment starting from edge and moving towards the centre. Adequate efforts should be taken to avoid poor joint construction. Routine checks should be carried out at site to ensure the quality\* of the resulting pavement mixture and the pavement surface.



Fig. (above)  
Tilling of carriageway in FC  
Road, Pune



Fig. (below)  
Road laying in DP Road,  
Pune

\* IRC SP 057: Guidelines for Quality Systems for Road Construction, IRC SP 112-2017  
Quality Control for Roads and Bridges

## median and islands

The median, if raised, shall be raised at least 300 mm by using kerb stones of approved material and dimensions and suitably finished. If the median includes landscaping, the details to be followed as per architects and engineer.

The refuge island should either be raised to 150mm to match the table top level or should be levelled with the carriageway. Bollards and markers should be used to prevent vehicular entries onto the islands while ensuring access to wheelchairs, prams and cyclists.

The islands should be wide enough to accommodate these users, have proper lighting, retro-reflective markers and appropriate signages.



Fig. (above)  
Tabletop crossing in DP  
Road, Pune



Fig. (below)  
Refuge island in JM Road,  
Pune



construction of tablespops

steps for construction

- Preparation of lean concrete base to provide concrete/ paver block surfacing.
- Provision of metallic edge support elements to confine the table top surface.
- Laying of the surfacing/ concrete / paver blocks.
- Compaction of the paver blocks, surface
- Provision concrete ramps on both side of the table top crossing. Higher grade concrete M30 and above should be preferred.
- Provision for draining stormwater by providing catchment pits before tablespops or allowing it to flow through pipes in the tablespops. As an alternative, a small gap covered with grills can be provided between the tabletop and the footpath.



Fig. (top)  
Tabletop crossing in DP  
Road, Pune

Fig. (bottom left)  
Culvert across a tabletop  
with metal grill in Chennai

Fig. (bottom right)  
Catchment pits provided  
on either side of table for  
access to stormwater drain  
in DP Road, Pune



painting and marking

As the final step after all installations and finishes, lanes should be marked with either water-based or thermo-plastic paints and must adhere to IRC 35- 1997 for road markings and MoUD IUT Code of Practice for road markings or Clause 803 of MoRT&H specifications.

Raised Pavement Markers (Cat's Eyes), road studs, reflective posts are used to form a semi-permanent or fixed based marking to provide improved visibility during night time and wet-weather conditions. These shall be provided at hazardous locations and while approaching important intersections.

The cycle track, pedestrian crossing, etc. should have clear markings as per standards. Locations of signs, road delineators, overhead traffic signs shall conform to IRC:67:2001, IRC: 35:1997, UTTIPEC: guidelines for road markings, and Section 800 of MoRTH Specifications. The traffic signal, its configuration, size and location shall be in accordance with IRC: 93 and IS: 7537 or as directed by the Engineer.



Fig. (top)  
Thermoplastic road  
marking in Nigdi, Pune

Fig. (bottom)  
Lane marking on cycle  
tracks in Pune; Lane  
marking on cycle tracks  
should be painted every 6  
months for better visibility.







3

# POST CONSTRUCTION PROCESS

maintenance manual | maintenance by contract



## 3.1 maintenance manual

## maintenance by contract 3.2

### maintenance manual

Routine maintenance work includes several small tasks. It may not be possible for the staff on ground to remember all of them. In addition, the newly inducted staff may not be aware of all the work involved in the maintenance of streets. Even if the staff is trained regularly in the activities related to maintenance, it is important that some reference book is available to the staff.

A maintenance manual should thus be prepared for guiding the staff, using the help of a consultant if necessary. This manual should list out every activity to be undertaken as part of the routine maintenance along with step-by-step guidelines of the processes involved and the required equipments. It will also mention the frequency of inspections to be carried out by various officials.

Maintenance work is classified into two categories viz.  
(1) Routine maintenance (including minor repairs and regular cleaning)  
(2) Major work (including road strengthening, resurfacing, etc.)

Budget allocation and preparation of estimates should be done according to the category of work involved.

### quality audits

Periodic quality audits of repair operations should be carried out for carriageway and footpath by Officers on Special Duty (O.S.D.) (Vigilance) and third parties not related to the maintenance work. This ensures effective monitoring and control. Various IRC and MoRTH guidelines are available for maintenance of pavement and carriageways. Audits for footpaths should be based on desired level of service, as mentioned in IRC.

### complaint redressal

Municipal corporations should set up 24 hr helplines especially during monsoon seasons for attending to complaints related to water logging, fallen trees, debris and other issues. Some corporations have set up websites for accepting complaints. The JE of the respective areas is responsible for redressal of complaints within 48 hrs.



Fig.  
Pune Municipal Corporation  
24x7 maintenance vehicle  
for quick repair; the  
van is equipped with  
bollards, tiles, paver  
blocks, etc. Citizens can  
lodge complaints online/  
on mobile app and the  
maintenance van staff fix it.

### contracts for maintenance

The maintenance of roads is the responsibility of the corporation. The corporation generally carries out routine maintenance through contract, initially on a small scale and, if successful, on a larger scale. The corporation can appoint a separate agency for maintenance or extend the scope of work of the construction contractor to include maintenance. It is necessary to draft the contract properly with accurate measurable performance criteria so as to judge whether the contractor has performed his duties properly to become eligible for payment.

### defect liability

If the construction contractor is to be appointed for road maintenance as well, he should be made responsible for the work for a minimum duration of 5 years. This would encourage him to use good quality material and better workmanship during construction for improved cost optimisation in the future.

The defect liability period and the duration of maintenance for such construction work should be explicitly mentioned in the contractor's tender. The contractor should provide supervising staff along with necessary skilled and unskilled labour for the works. They should repair any faults and maintain roads, landscape and utilities at an acceptable serviceability level, as directed by the engineer-in-charge during such period. After completion of the defect liability period, another agency can be hired for the maintenance of such streets.

It should be noted that during the defect liability period, the liability of the contractor is limited to rectification of defects in the construction work carried out by him. It should also be noted that this does not include routine maintenance of the infrastructure created. However, to avoid multiple agencies working on the same infrastructure during the contractor's defect liability period, it is suggested that the scope of the contractor's work should be extended to include regular maintenance and he should be paid accordingly.

Some of the activities covered under Operation and maintenance include:

### tasks for O&M

- Sidewalk/Plaza Maintenance: repairing, replacing, installing, and cleaning of paving and kerb, and landscape maintenance
- Street/Road Repair and Maintenance: top coat repair, resurfacing and patching
- Street/Road/Sidewalk cleaning: Sweeping and debris removal
- Street furniture maintenance




Fig.  
Routine maintenance in DP  
Road, Pune

\* Excerpts from STAC (Standing Technical Advisory Committee) Report, Pune Municipal Corporation

\*\* MoRTH Guidelines for Maintenance Management of Primary, Secondary and Urban Roads





4

CONSTRUCTION  
TIMELINE



# construction timeline 4.1

estimated timeline

The timeline for such works depends on the number of teams deployed by the contractor on site. The below-mentioned timeline is typical in urban areas for a stretch of 1km, assuming that separate teams are deployed by the contractor and all required permissions have been obtained. The estimated time periods are as follows:

- Existing carriageway scarification – 3 to 4 days per km
- Excavation/ Utility connections/ relaying – 1 to 2 weeks depending upon the number of utilities being tackled
- Surfacing work – 2 to 3 days per km for 2 lane roads
- Footpath kerbing – 1 weeks per km
- Footpath base work – 2 weeks per km
- Footpath surfacing – 2 to 3 weeks per km depending upon the width
- Street furniture items – 2 to 3 weeks depending upon the number of items
- Markings / painting – 2 to 3 days per km

Step	Week							
	1	2	3	4	5	6	7	8
Existing carriageway scarification								
Excavations/ utility connections/ relaying								
surfacing work 2 lane roads								
footpath kerbing								
Footpath base work								
Footpath surfacing								
Street furniture items								
Markings/ painting								

Table 04: Estimated construction timeline



# ANNEXURES

list of references



# list of references

Following are some of the acts, laws and initiatives undertaken until now by Central, State Governments and other organizations in the road and transportation sector prominently related to vehicles, road construction, road users. The Complete Streets framework toolkit has taken into consideration the information and suggestions as mentioned in these studies.

## Indian Road Congress Guidelines

The Indian Roads Congress (IRC) was set up by the Government of India in consultation with the State Governments in December, 1934 and is a registered society under the Registration of Society Act. It is the premier body of Highways Engineers in India. The Principal objectives of the India Roads Congress are to provide a national forum for regular pooling of experience and ideas on all matters concerned with the construction and maintenance of highways, to recommend standard specifications and to provide a platform for the expression of professional opinion on matters relating to roads and road transport including those of organizations and administration. It also publishes Journals, monthly magazines and research bulletins.

Few of such journals regarding design of urban roads have been considered in the study for the framework documents. The documents recommend to follow the given IRC for the technical specifications and details for construction of street elements:

1. IRC: 35-2015 Code of Practice for Road Markings
2. IRC: 36-2010 Recommended Practice for Construction of Earth Embankments and Subgrade for Road Works
3. IRC: 37-2012 Guidelines for the Design of Flexible pavements
4. IRC: 67-2012 Code of practice for Road Signs
5. IRC: 70-2017 Guidelines on Regulation and Control of Mixed Traffic in Urban Areas
6. IRC: 98-2011 Guidelines on Accommodation of Utility Services on Roads in Urban Areas
7. IRC: 99-2018 Guidelines for Traffic Calming Measures in Urban and Rural Areas
8. IRC: 103-2012 Guidelines for Pedestrian Facilities
9. IRC:SP: 50-2013 Guidelines on Urban Drainage
10. IRC:SP: 055 Guidelines on Traffic Management in Work Zones
11. IRC:SP: 057 Guidelines for Quality Systems for Road Construction
12. IRC:SP: 112-2017 Manual for Quality Control in Road and Bridge Works
13. IRC:SP: 117-2018 Manual on Universal Accessibility for Urban Roads and Streets
14. IRC:SP:119-2018 Manual of Planting and Landscaping of Urban Roads

## MoRTH Specifications

The Ministry of Road Transport and Highways is a ministry of the Government of India, is the apex body for formulation and administration of the rules, regulations and laws relating to road transport, and transport research in India. Some of the MoRTH regulations and specifications referred in the Complete Streets framework documents have been listed below:

1. MoRTH Section 300: Earthwork, Erosion Control and Drainage
2. MoRTH Section 400: Sub-Base, Bases Not-Bituminous and Shoulders
3. MoRTH Section 500: Base and Surface Courses (Bituminous)
4. MoRTH Section 800: Traffic Signs, Markings and Other Road Appurtenances

## Design of Urban Roads-Code of Practice, 2012<sup>1</sup>

The code of practice for designing of urban roads has been prepared by the Transportation Research and Injury Prevention Programme (TRIPP) for the Institute of Urban Transport (IUT), Ministry of Urban Development. The primary purpose of this document is to provide a code of practice for various Urban Road Components. It has been developed in five parts:

- Part I : Urban road cross section design
- Part II : Intersection design
- Part III: Road markings
- Part IV : Signages
- Part V : Traffic Calming methods

Among other recommended codes, the document has two major variations from IRC codes in terms of road design for intended speed limit and linking of lane width with speed limit.

## Motor vehicles Act<sup>2</sup>

The Motor Vehicles Act, 1988 is an Act of the Parliament of India which regulates all aspects of road transport vehicles. The Act came into force from 1 July 1989. It replaced Motor Vehicles Act, 1939 which earlier replaced the first such enactment Motor Vehicles Act, 1914. The Act provides in detail the legislative provisions regarding licensing of drivers/ conductors, registration of motor vehicles, control of motor vehicles through permits, special provisions relating to state transport undertakings, traffic regulation, insurance, liability, offences and penalties, etc.

## Disabilities Act<sup>3</sup>

The Rights of Persons with Disabilities act replaces the Persons with Disabilities (Equal Opportunities, Protection of Rights and Full Participation) Act, 1995. It fulfills the obligations to the United National Convention on the Rights of Persons with Disabilities (UNCRPD), to which India is a signatory. The Act came into force during December 2016.

Accessibility is one of the rights that is given importance under this act which makes it mandatory to provide for disabled friendly design of public places including roads and streets. The Rules under this Act have specified the Standards for Accessibility through Harmonised Guidelines and Space Standards for Barrier Free Built Environment for Persons With Disabilities and Elderly Persons.<sup>4</sup> The guidelines prepared by Ministry of Urban Development are comprehensive guidelines inclusive of all provisions updated and harmonized to act as an easy reference Practitioner's Guide for Barrier Free Designs with universal access, responding to the varying needs of the persons with disabilities.

## The Guidelines and Toolkits for Urban Transport Development

The Guidelines and Toolkits for Urban Transport Development were prepared by a Technical Assistance on Urban Transport Strategy (TA 4836-IND) funded by the Asian Development Bank for the Ministry of Urban Development (MoUD), Government of India.

<sup>1</sup> <http://mohua.gov.in/cms/Design-of-Urban.php>

<sup>2</sup> <http://www.tn.gov.in/sta/Mvact1988.pdf>

[http://164.100.47.4/BillsTexts/LSBillTexts/PassedLoksabha/214C\\_2016\\_LS\\_Eng.pdf](http://164.100.47.4/BillsTexts/LSBillTexts/PassedLoksabha/214C_2016_LS_Eng.pdf)

<sup>3</sup> <http://disabilityaffairs.gov.in/upload/uploadfiles/files/RPWD%20ACT%202016.pdf>

<sup>4</sup> <https://cpwd.gov.in/Publication/Harmonisedguidelinesreleasedon23rdMarch2016.pdf>



These documents are designed to help decision makers and practitioners in states and municipal governments who are concerned with urban transport development in medium-sized cities in India.

It consists of 5 modules addressing topics like -

- Comprehensive mobility plans<sup>5</sup>
- Bus Rapid Transit Systems (BRTS)
- Guidelines for Bus service improvement
- Guidelines for parking measure
- Guidelines for NMT measures.

## The National Urban Transport Policy (April 2006)<sup>6</sup>

It was approved by GOI to tackle urban mobility issues to ensure a safe and sustainable urban mobility in the coming decades. It provides for integrated land use and transport plans in cities, coordinated planning for urban transport, people oriented equitable allocation of road space, capital support in the form of equity participation and or viability gap funding, innovative financing, dedicated urban transport funds, non-motorised transport, car restraint measures, clean fuel and vehicle technology, private sector participation and pilot projects in cities to establish models of best practices.

## Recommendations of working group on 12th FYP<sup>7</sup>

The Working Group on Urban Transport for the 12th Five Year Plan has made recommendations on investments and plans on 9 broad themes in urban transport which were identified in line with the National Urban Transport Policy (NUTP) developed by the Government of India.

## Study on traffic and transportation policies and strategies in Urban Areas in India, MOUD, 2008<sup>8</sup>

The study aimed at updating the transportation information and projections made from the previous study 'Traffic and transportation policies and strategies in Urban Areas in India 1994' in order to review the National Urban Transport Policy in light of the new and comprehensive data provided within this report.

## Service Level Benchmarking, 2009<sup>9</sup>

Since 2009, the Ministry of Housing and Urban Affairs (then titled Ministry of Urban Development) has adopted the practice of service level benchmarking. Through the SLB initiative, the Ministry hoped to create a robust set of indicators across sectors for which data would be collected at the city levels and collated and published at the National level. This would then help create a ranking for cities, aided by a positive competitive spirit. At the same time, cities were also expected to set targets for themselves and better their performances over time.

<sup>5</sup> [https://smarnet.niua.org/sites/default/files/resources/file\\_1016201405372097.pdf](https://smarnet.niua.org/sites/default/files/resources/file_1016201405372097.pdf)

<sup>6</sup> <http://www.iutindia.org/downloads/Documents.aspx>

<sup>7</sup> [http://planningcommission.gov.in/aboutus/committee/wrkgrp12/hud/wg\\_%20urban%20Transport.pdf](http://planningcommission.gov.in/aboutus/committee/wrkgrp12/hud/wg_%20urban%20Transport.pdf)

<sup>8</sup> [http://mohua.gov.in/upload/uploadfiles/files/final\\_Report.pdf](http://mohua.gov.in/upload/uploadfiles/files/final_Report.pdf)

<sup>9</sup> [http://mohua.gov.in/upload/uploadfiles/files/Service\\_level.pdf](http://mohua.gov.in/upload/uploadfiles/files/Service_level.pdf)

Within urban transport, pedestrian and non-motorized transport facilities were assigned indicators -such as the share of city roads with footpaths and the coverage and efficiency of street lighting etc.

## National Mission on sustainable habitats: Report of the Sub-Committee on Urban Transport

Under the National Action Plan for Climate Change, the National Mission on Sustainable Habitat has been launched to cover various aspects which include better urban planning and modal shift to public transport. Regarding Urban Transport, the objectives of the National Mission on Sustainable Habitat (NMSH) are "To address the issue of mitigating climate change by taking appropriate action with respect to the transport sector such as evolving integrated land use and transportation plans, achieving a modal shift from private to public mode of transportation, encouraging the use of non-motorised transport, improving fuel efficiency, and encouraging use of alternative fuels etc.

## UTTIPEC Guidelines for street design<sup>10</sup>

As per the recommendations of National Urban Transport Policy, DDA, Delhi has notified Unified Traffic and Transportation Infrastructure (Plg. & Engg.) Centre (UTTIPEC) to enhance mobility, reduce congestion and to promote traffic safety by adopting standard transport planning practices.

Recently UTIPEC has published street design guidelines to promote sustainable transportation system in the city of Delhi.

## The Street Vendors (Protection of Livelihood and Regulation of Street Vending) Act, 2014<sup>11</sup>

Street Vendors (Protection of Livelihood and Regulation of Street Vending) Act, 2014 is an Act of the Parliament of India. This Act was drafted with the legislative intent of protecting the livelihood rights of street vendors as well as regulating street vending through demarcation of vending zones, conditions for and restrictions on street vending. The Act now governs over all matters in regards to the rights and duties of the street vendors in India.

## Chennai Non-Motorised Transport Policy, 2014<sup>12</sup>

The Chennai Municipal Corporation adopted a progressive non-motorised policy in October 2014 to make walking and cycling its priority. The policy aims to arrest the current decline in walking and cycling in the city by creating safe and pleasant network of footpaths, cycle tracks, greenways and other NMT facilities.

<sup>10</sup> [http://smartcities.gov.in/upload/uploadfiles/files/StreetGuidelines\\_DDA.pdf](http://smartcities.gov.in/upload/uploadfiles/files/StreetGuidelines_DDA.pdf)

<sup>11</sup> <http://legislative.gov.in/sites/default/files/A2014-7.pdf>

<sup>12</sup> <https://www.itdp.in/wp-content/uploads/2014/10/NMT-Policy.pdf>



## Urban Street Design Guidelines, Pune 2016<sup>13</sup>

In accordance with the key principles of moving people before vehicles in National urban Transport Policy, the Municipal Corporation of Pune adopted the 'Urban Street Design Guidelines' as a new policy document aimed at 'equitable allocation of street space'. The guidelines give an overview of various elements that go into designing streets, making them universally accessible and also provide standard templates for different sizes and uses of streets.

## Policy for Pedestrian Facilities and Safety, Pune 2016<sup>14</sup>

The Municipal Corporation of Pune, in 2016 adopted a Pedestrian Facilities and Safety Policy, keeping in view the focus set in NUTP and CMP for Pune. The Policy establishes good quality public transport system as well as safe, adequate and usable facilities for pedestrians and cyclists as the solutions to city's traffic problems and aims at providing consistent, high quality pedestrian infrastructure with equitable allocation of road space.

## Public Parking Policy, Pune 2016<sup>15</sup>

The policy on Public Parking adopted by Pune Municipal Corporation in 2016, is expected to help the city in becoming more 'people friendly' than 'vehicle friendly'. The Policy aspires to discourage usage of private modes, encourages efficient use of available parking spaces, aids in evolving a better transportation system, builds a strategy to reduce congestion, pollution, and also helps the public transport system to grow.

## NMT Guidance document, 2016<sup>16</sup>

The Guidance Documents for preparing Non-Motorised Transport (NMT) plans has been undertaken by the Sustainable Urban Transport Project, Ministry of Urban Development (MoUD), Government of India (GOI) with support from Global Environment Facility (GEF), UNDP and World Bank. The focus of the Guidance Document is to establish a systematic process for plan preparation, serving more as an implementation manual with checklists of potential alternatives, rather than providing technical standards for development of detailed specifications.

## Coimbatore Street Design & Management Policy, 2017<sup>17</sup>

Keeping with the approach set-out in NUTP-2006, the Coimbatore City Municipal Corporation (CCMC) adopted a Street Design & Management Policy to ensure the implementation of high-quality transport systems. The Policy seeks to achieve an environment that supports more equitable allocation of road space by incorporating a focus on non-motorised transport (NMT) and public transport (PT) in the planning, design, managing, and budgeting stages.

<sup>13</sup> [https://pmc.gov.in/sites/default/files/road\\_img/USDG\\_Final\\_July2016.pdf](https://pmc.gov.in/sites/default/files/road_img/USDG_Final_July2016.pdf)

<sup>14</sup> <http://smartcities.gov.in/upload/development/5a9009c9843cdPolicy%20for%20Pedestrian%20Facilities%20and%20Safety%20in%20Pune%20City.pdf>

<sup>15</sup> <https://pmc.gov.in/sites/default/files/project-glimpses/PMC-public-parking-policy-English-revised-March2016-Final.pdf>

<sup>16</sup> <https://smartnet.niua.org/sites/default/files/resources/nmtguidancefinal.pdf>

<sup>17</sup> [https://www.itdp.in/wp-content/uploads/2018/01/CoimbatoreStreetDesignandManagementPolicy\\_ITDP\\_170218.pdf](https://www.itdp.in/wp-content/uploads/2018/01/CoimbatoreStreetDesignandManagementPolicy_ITDP_170218.pdf)

## Ease of Living Index, 2018<sup>18</sup>

The SLB initiative has been reimagined and expanded into the Ease of Living Index, covering more sectors and aspects of citizen lives. Within transport however, the larger set of indicators remain largely similar to the earlier SLBs.

## Specifications for Urban Road Execution, Tender SURE

Bangalore City Connect Foundation (BCCF) in conjunction with Indian Urban Space Foundation (IUSF) approached the state government of Karnataka to build an Urban road and tender manual in 2010. The publication contains guidelines on designs, specification and procurement of contract for urban roads execution with the priority on the comfort and safety of pedestrians and cyclists, as well as recognizing the needs of street vendors and hawkers.

## Urban Street Design Guide, NACTO

NACTO's (a non-profit organization) 'Urban Street Design Guide' gives guidance through toolbox and tactics that cities can use to make streets safer, more liveable, and more economically vibrant. The Guide outlines both a clear vision for complete streets and a basic road map for how to bring them to fruition.

## Better Streets, Better Cities, ITDP<sup>19</sup>

A street design manual for Indian cities prepared by ITDP, (a not for profit organization) that discusses design details of various street elements and street sections on 'complete streets' principle.

## Parking Basics, ITDP<sup>20</sup>

Parking Basics a guiding document by ITDP, outlines the key principles and steps involved in managing on-street parking and regulating off-street parking.

## Footpath Design: A guide to creating footpaths, ITDP<sup>21</sup>

The footpath design guide prepared by ITDP is a quick reference guide which highlights key concepts from the IRC Guidelines, including footpath design standards. The guide also draws from local and international best practice for some themes not covered in the IRC publication.

<sup>18</sup> <https://easeofliving.niua.org/assets/upload/pdfs/ease-of-living-national-report.pdf>

<sup>19</sup> <https://www.itdp.org/wp-content/uploads/2011/12/Better-Streets-Better-Cities-ITDP-2011.pdf>

<sup>20</sup> <https://www.itdp.org/wp-content/uploads/2015/10/Parking-Basics.pdf>

<sup>21</sup> [https://www.itdp.in/wp-content/uploads/2014/04/05-Footpath-Design\\_Handout.pdf](https://www.itdp.in/wp-content/uploads/2014/04/05-Footpath-Design_Handout.pdf)



Footpath Fix, ITDP<sup>22</sup>

Footpath Fix the second volume after Footpath Design is a step-by-step guide on footpath construction detailing for urban designers, municipal engineers, and contractors. The guide aims to highlight the steps of footpath construction in a chronological order, from pre-excavation to above-ground construction. It also features necessary precautions, drawing from experience on-ground, that must be taken into consideration at each stage of construction.

The work is licensed under a Creative Commons Attribution BY 4.0 License. Feel free to copy, distribute and transmit, as long as you attribute the work.



Prepared by



- Achuthan T D
- Ganesh Babu R P
- Nashwa Naushad
- Naveena Munuswamy
- Parin Visariya
- Pranjal Kulkarni
- Sruti Venkatakrishnan
- Vaishali Singh
- Venugopal A V
- Vishnu M J
- team

- Kashmira Dubash
- Pranjali Deshpande
- Vikas Thakar
- editors

- Aswathy Dilip
- manager

All photographs and graphics by ITDP, unless otherwise mentioned.

<sup>22</sup> <https://www.itdp.in/wp-content/uploads/2018/07/Footpath-Fix.pdf>



